

From: Latham, Benjamin
To: [Nold, Eric](#)
Cc: [R6HarveyInfo](#)
Subject: M6H1 – Harvey Response Draft Soil QASP - HHW Pad Sampling
Date: Saturday, September 2, 2017 9:23:37 AM
Attachments: [Hurricane Harvey Soil Qasp.doc](#)

Benjamin J. Latham
Weston Solutions, Inc.
2600 Dallas Parkway
Suite 280
Frisco, TX 75034
B.Latham@WestonSolutions.com
972-213-6618 Cell
469-666-5517 Office
469-666-5540 Fax

From: Brown, Michelle
Sent: Friday, September 01, 2017 6:24 PM
To: Latham, Benjamin <Benjamin.Latham@WestonSolutions.com>
Cc: Wright, Jeff <Jeff.Wright@WestonSolutions.com>; Crow, David <David.Crow@WestonSolutions.com>
Subject: Draft Soil QASP - HHW Pad Sampling

Attached is the draft Soil QASP. This doesn't address the HHW pad sampling elements discussed – 5 point composite samples from 50x50 grids. Make sure and GPS all points so post- sampling locations will match the pre- locations. Jeff is working on the lab – thanks! - Michelle

Please note our new office address below.



Michelle Brown, CHMM
Weston Solutions, Inc.
2600 Dallas Parkway, Suite 280
Frisco, Texas 75034
Direct: 469-666-5527
Cell: 972-977-2644
Michelle.Brown@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.